



Atomic Data and Spectral Line Intensities for Ne III

By A. K. Bhatia

BiblioGov. Paperback. Book Condition: New. This item is printed on demand. Paperback. 32 pages. Dimensions: 9.7in. x 7.4in. x 0.1in. Electron impact collision strengths, energy levels, oscillator strengths and spontaneous radiative decay rates are calculated for Ne III. The configurations used are $2s^2 2p^4$, $2s2p^5$, $2s^2 2p^3 3s$, and $2s^2 2p^3 3d$ giving rise to 57 fine-structure levels in intermediate coupling. Collision strengths are calculated at five incident energies, 5, 10, 15, 20, and 25 Ry. Excitation rate coefficients are calculated by assuming a Maxwellian electron velocity distribution at an electron temperature of $\log T_e$, (K) 5.0, corresponding to maximum abundance of Ne III. Using the excitation rate coefficients and the radiative transition rates, statistical equilibrium equations for level populations are solved at electron densities covering the range of 10^8 - 10^{14} per cubic centimeter. Relative spectral line intensities are calculated. Proton excitation rates between the lowest three levels have been included in the statistical equilibrium equations. The predicted Ne III line intensities are compared with SERTS rocket measurements of a solar active region and of a laboratory EUV light source. This item ships from La Vergne, TN. Paperback.



READ ONLINE
[6.1 MB]

Reviews

Very beneficial for all type of folks. It can be rally intriguing throgh studying time. You will like how the writer publish this ebook.

-- **Nathan Cruickshank**

Totally one of the better pdf I have at any time read through. It really is simplified but shocks within the 50 % from the ebook. Once you begin to read the book, it is extremely difficult to leave it before concluding.

-- **Mariano Spinka**